RECEIVED CENTRAL FAX CENTER

10540761 - GAU: 2622 NO. 3129 P. 5

NOV 2 8 2007

ed in Lieu of PTO/SB/08A/B

Subsidius for form 1449PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary)				Complete if Known		
				Application Number	10/540,761-Conf. #9544	
			SCLOSURE	Filling Date	June 24, 2005	
			APPLICANT	First Named Inventor	Takashi Watanabe	
				Art Unit	2612	
			s necessary)	Examiner Name	Not Yet Assigned	
heet	1	of	1	Attorney Docket Number	63645(70820)	

U.S. PATENT DOCUMENTS						
Examiner Initials*	Cite No.	Cocument Number Number-Kind Code ² (#known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	
	AA*	US-2001/0015404 A1		Takada et al		
	AB*	US-2002/0021121 A1	02-21-2002	Nakamura		

FOREIGN PATENT DOCUMENTS						
Examiner Initials*	Cite No.1	Foreign Patent Document Country Code*-Number*-Kind Code* (F known)	Publication Date MM-DD-YYYY	Name of Patentes or Applicant of Cited Document	Pagos, Columns, Lines, Whore Relevant Passages Or Retevant Figures Appear	

"SAMMER (INIT) I whether consistency, whether or not claims as nonembrane with Party 90". I will all straight places in the Commentation of the Spark - CTER NOT. These application(s) which will be straight places in the Commentation of the Spark - CTER NOT. These application(s) which will be straight places in the CTER NOT. These application(s) which will be straight places in the CTER NOT. These application(s) which will be straight places in the CTER NOT. These application(s) which will be straight places in the CTER NOT. THE

	NON PATENT LITERATURE DOCUMENTS				
Examiner Iniliais	Cite No.1	Include name of the author (in CAPITAL LETTERS), ide of the article (when appropriate), file of the itam (book, magazine, journal, serfal, symposium, catalog, etc.), date, page(s), voluma-issue number(e), publisher, city and/or country when publisher.	T ²	1	
		Fox et al., "Wide-Dynamic-Range Pixel with Combined Linear and Logarithmic Response and Increased Signal Swing", Sensors and Camera Systems for Scientific, Industrial, and Digital Photography Applications, vol. 3965, pp. 4-10, January 24, 2000.]	

"EXAMINER: Initial if reference considered, whether or not cladon is in conformance with MPEP 609. Draw line through cladon if not in conformance and not considered. Include copy of this form with next communication to applicant.

'Applicant's unique ditation designation number (opdorsal). 'Applicant is to piece a check mark horo if English language Translation is attached

Examiner Signature	/Kelly Jerabek/ (04/08/2008)	Date Considered	04/08/2008